Histopathology 1986, **10**, 1336–1343

Author index to Volume 10

ADDIS B.J. & ISAACSON P.G. Large cell lymphoma of the mediastinum: a B-cell tumour of probable thymic origin 379–390

ADDIS B.J., see Kondi-Paphitis A. & Addis B.J.

ALAVAIKKO M., see Apaja-Sarkkinen M. *et al.*, also see Karttunen T. *et al.*

ALLEN D.C. & BIGGART J.D. Misplaced epithelium in ulcerative colitis and Crohn's disease of the colon and its relationship to malignant mucosal changes 37–52

ALTEMANI A.M., VASSALO J. & BILLIS A. Congenital focal glomerular lesions in only one monozygotic twin related to a probable twin transfusion syndrome 991–994

AMBROSETTI A., see Menestrina F. *et al.*

ANDERSON T.J., see Going J.J. *et al.*, also see Ferguson D.J.P. *et al.*

ANNINO L., see Falini B. *et al.*

AOZASA K., INOUE A., KATAGIRI S., MATSUZUKA F., KATAYAMA S. & YONEZAWA T. Plasmacytoma and follicular lymphoma in a case of Hashimoto's thyroiditis 735–740

APAJA-SARKKINEN M., ALAVAIKKO M., KARTTUNEN T. & AUTIO-HARMAINEN H. Basement membrane proteins in the spleen: immunohistochemical demonstration and relation to reticulin 295–302

APAJA-SARKKINEN M., see Karttunen T. *et al.*

ATKIN W.S., see Jass J.R. *et al.*

AUTIO-HARMAINEN H., see Apaja-Sarkkinen M. *et al.*, also see Karttunen T. *et al.*

BALATON A.J., VUONG P.N., VAURY P. & BAVIERA E.E. Plexiform tumorlet of the uterus: immunohistological evidence for a smooth muscle origin 749–754

BALÁZS M. Adenoid cystic (cylindromatous) carcinoma of the trachea: an ultrastructural study 425–435

BARACCHINI P., see Lapertosa G. *et al.*

BARONI C.D., PEZZELLA F., MIROLO M., RUCO L.P. & ROSSI G.B. Immunohistochemical demonstration of p24 HTLV III major core protein in different cell types within lymph nodes from patients with lymphadenopathy syndrome (LAS) 5–13

BARRY J.D. & SHARKEY F.E. Morphometric grading of squamous cell carcinoma 1143–1152

BATTERSBY S., see Ferguson D.J.P. *et al.*

BAVIERA E.E., see Balaton A.J. *et al.*

BÉDARD Y.C., see Miller N. *et al.*

BERANEK J.T., MASSEYEFF R. & DESMET V.J. Hyperplastic capillaries and their possible involvement in the pathogenesis of fibrosis 543–551

BETTA P.G., see Donna A. & Betta P.G.

BIGGART J.D., see Allen D.C. & Biggart J.D.

BILLIS A., see Altemani A.M. *et al.*

BIRD C.C., see Reid M.B. *et al.*

BISHOP A.E., see Hamid Q.A. *et al.*

BLACKSHAW A.J., see Hall P.A. *et al.*

BLOK A.P.R., see Ooms E.C.M. *et al.*

BLOMJOUS C.E.M., see Ooms E.C.M. *et al.*

BLOOM S.R., see Hamid Q.A. *et al.*

BÖCKER W., see Schröder S. & Böcker W.

BONAR S.F. & SWEENEY E.C. The prevalence, prognostic significance and hormonal content of endocrine cells in gastric cancer 53–63

BONETTI F., see Menestrina F. *et al.*

BOON M.E., KOK L.P. & OUWERKERK-NOORDAM E. Microwave-stimulated diffusion for fast processing of tissue: reduced dehydrating, clearing, and impregnating times 303–309

BOON M.E., see Ooms E.C.M. *et al.*

BOSMAN F.T., see Visser R. *et al.*, also see Willebrand D. *et al.*

BOTS G. TH. A.M., see Calame J.J. *et al.*

BROWN L.J.R., see Wells M. & Brown L.J.R.

BURNETT R.A. & MILLAN D. Decidual change in pelvic lymph nodes: a source of possible diagnostic error 1089–1092

BUSSEY H.J.R., see Jass J.R. *et al.*

BUTLER M.G., see Hall P.A. *et al.*

Histopathology 1986, **10**, 1336–1343

Author index to Volume 10

ADDIS B.J. & ISAACSON P.G. Large cell lymphoma of the mediastinum: a B-cell tumour of probable thymic origin 379–390

ADDIS B.J., see Kondi-Paphitis A. & Addis B.J.

ALAVAIKKO M., see Apaja-Sarkkinen M. *et al.*, also see Karttunen T. *et al.*

ALLEN D.C. & BIGGART J.D. Misplaced epithelium in ulcerative colitis and Crohn's disease of the colon and its relationship to malignant mucosal changes 37–52

ALTEMANI A.M., VASSALO J. & BILLIS A. Congenital focal glomerular lesions in only one monozygotic twin related to a probable twin transfusion syndrome 991–994

AMBROSETTI A., see Menestrina F. *et al.*

ANDERSON T.J., see Going J.J. *et al.*, also see Ferguson D.J.P. *et al.*

ANNINO L., see Falini B. *et al.*

AOZASA K., INOUE A., KATAGIRI S., MATSUZUKA F., KATAYAMA S. & YONEZAWA T. Plasmacytoma and follicular lymphoma in a case of Hashimoto's thyroiditis 735–740

APAJA-SARKKINEN M., ALAVAIKKO M., KARTTUNEN T. & AUTIO-HARMAINEN H. Basement membrane proteins in the spleen: immunohistochemical demonstration and relation to reticulin 295–302

APAJA-SARKKINEN M., see Karttunen T. *et al.*

ATKIN W.S., see Jass J.R. *et al.*

AUTIO-HARMAINEN H., see Apaja-Sarkkinen M. *et al.*, also see Karttunen T. *et al.*

BALATON A.J., VUONG P.N., VAURY P. & BAVIERA E.E. Plexiform tumorlet of the uterus: immunohistological evidence for a smooth muscle origin 749–754

BALÁZS M. Adenoid cystic (cylindromatous) carcinoma of the trachea: an ultrastructural study 425–435

BARACCHINI P., see Lapertosa G. *et al.*

BARONI C.D., PEZZELLA F., MIROLO M., RUCO L.P. & ROSSI G.B. Immunohistochemical demonstration of p24 HTLV III major core protein in different cell types within lymph nodes from patients with lymphadenopathy syndrome (LAS) 5–13

BARRY J.D. & SHARKEY F.E. Morphometric grading of squamous cell carcinoma 1143–1152

BATTERSBY S., see Ferguson D.J.P. *et al.*

BAVIERA E.E., see Balaton A.J. *et al.*

BÉDARD Y.C., see Miller N. *et al.*

BERANEK J.T., MASSEYEFF R. & DESMET V.J. Hyperplastic capillaries and their possible involvement in the pathogenesis of fibrosis 543–551

BETTA P.G., see Donna A. & Betta P.G.

BIGGART J.D., see Allen D.C. & Biggart J.D.

BILLIS A., see Altemani A.M. *et al.*

BIRD C.C., see Reid M.B. *et al.*

BISHOP A.E., see Hamid Q.A. *et al.*

BLACKSHAW A.J., see Hall P.A. *et al.*

BLOK A.P.R., see Ooms E.C.M. *et al.*

BLOMJOUS C.E.M., see Ooms E.C.M. *et al.*

BLOOM S.R., see Hamid Q.A. *et al.*

BÖCKER W., see Schröder S. & Böcker W.

BONAR S.F. & SWEENEY E.C. The prevalence, prognostic significance and hormonal content of endocrine cells in gastric cancer 53–63

BONETTI F., see Menestrina F. *et al.*

BOON M.E., KOK L.P. & OUWERKERK-NOORDAM E. Microwave-stimulated diffusion for fast processing of tissue: reduced dehydrating, clearing, and impregnating times 303–309

BOON M.E., see Ooms E.C.M. *et al.*

BOSMAN F.T., see Visser R. *et al.*, also see Willebrand D. *et al.*

BOTS G. TH. A.M., see Calame J.J. *et al.*

BROWN L.J.R., see Wells M. & Brown L.J.R.

BURNETT R.A. & MILLAN D. Decidual change in pelvic lymph nodes: a source of possible diagnostic error 1089–1092

BUSSEY H.J.R., see Jass J.R. *et al.*

BUTLER M.G., see Hall P.A. *et al.*

CAFOLLA A., see Falini B. *et al.*
CALAME J.J., VAN'T WOUT J.W., VAN DIJK J.G. & BOTS G. TH. A.M. A case of eosinophilic meningo-encephalitis accompanied by eosinophilic inflammation of the myenteric plexus in Hodgkin's disease 535–539
CALLEA F., DE VOS R., TOGNI R., TARDANICO R., VANSTAPEL M.J. & DESMET V.J. Fibrinogen inclusions in liver cells: a new type of ground-glass hepatocyte. Immune light and electron microscopic characterization 65–73
CAMPBELL P.E., see Howat A.J. *et al.*
CAMPBELL A.C., see Lauder I. & Campbell A.C.
CANINO S., see Falini B. *et al.*
CHAN J.K-C., see Fletcher C.D.M. *et al.*
CHAN J.K.C., NG C.S. & TUNG S. Multilobated B-cell lymphoma, a variant of centroblastic lymphoma. Report of four cases 601–612
CHAN N., see Magee F. *et al.*
CHILOSI M., see Menestrina F. *et al.*
CIANI C., see Falini B. *et al.*
CLEUTJENS J.P.M., see Visser R. *et al.*
CLINTON S., see Gusterson B.A. *et al.*
COAD N.A.G., see Kodet R. *et al.*
COLLINS M., see Leader M. *et al.*
COOTER N.B., see Miller N. *et al.*
COTTON D.W.K., SLATER D.N., ROONEY N., GOEPEL J.R. & MILLS P.M. Giant vascular eccrine spiradenomas: a report of two cases with histology, immunohistology and electron microscopy 1093–1099
COURTNEY M.G., see McDonald G.S.A. & Courtney M.G.
COX E.L., see Munro J.M. *et al.*
CRUSE J.P., see Gledhill A. *et al.*
CURRIE W., see Magee F. *et al.*
CURRY A., see Kirkpatrick C.J. *et al.*
CUZICK J., see Jass J.R. *et al.*

D'ARDENNE A.J., see Hall P.A. *et al.*
DARBY A.J., see Salisbury J.R. *et al.*
DAVIES J.D., see Maurer R. *et al.*
DAVIES S.E., see Fletcher C.D.M. & Davies S.E.
DAY D.W., see Nash J.R.G. *et al.*
DE GAST G.C., see Schuurman H.-J. *et al.*
DE GOEIJ A.F.P.M., see Willebrand D. *et al.*
DE VOS R., see Callea F. *et al.*, also see van den Oord *et al.*
DE WOLF-PEETERS C., see van den Oord J.J. *et al.*
DELSOL G., see Falini B. *et al.*
DERVAN P.A., TOBIN B. & O'CONNOR M. Solitary (localized) fibrous mesothelioma: evidence against mesothelial cell origin 867–875
DESA D.J., see Safneck J.R. & deSa D.J.
DESMET V.J., see Callea F. *et al.*, also see van den Oord J.J. *et al.*, also see Beranek J.T. *et al.*
DINN J.J., see Gaffney E.F. *et al.*
DIXON M.F., see Ectors N. & Dixon M.F.
DOGLIONI C., see Menestrina F. *et al.*
DONNA A. & BETTA P.G. Differentiation towards cartilage and bone in a primary tumour of pleura. Further evidence in support of the concept of mesoderma 101–108
DOORLY T., see Gaffney E.F. *et al.*
DREWE R., see Smith P. *et al.*
DUNNILL M.S. & GATTER K.C. Cellular heterogeneity in lung cancer 461–475

EASTERBROOK P., see Theaker J.M. *et al.*
ECTORS N. & DIXON M.F. The prognostic value of sulphomucin positive intestinal metaplasia in the development of gastric cancer 1271–1277
EIDE T.J. Prevalence and morphological features of adenomas of the large intestine in individuals with and without colorectal carcinoma 111–118
EL-LABBAN N.G. & OSORIO-HERRERA E. Apoptotic bodies and abnormally dividing epithelial cells in squamous cell carcinoma 921–931
ERBER W.N., see Falini B. *et al.*
ESIRI M.M., see Theaker J.M. *et al.*

FALINI B., PULFORD K., ERBER W.N., POSNETT D.N., PALLESEN G., SCHWARTING R., ANNINO L., CAFOLLA A., CANINO S., MORI A., MINELLI O., CIANI C., VOXES E.E., GOLOMB H.M., DELSOL G., STEIN H., MARTELLI M.F., GRIGNANI F. & MASON D.Y. Use of a panel of monoclonal antibodies for the diagnosis of hairy cell leukaemia. An immunocytochemical study of 36 cases 671–687
FATTOROSSI A., see Romagnoli P. *et al.*
FEAR J.D., see Reid M.B. *et al.*
FERGUSON D.J.P., see Wells C.A. *et al.*

FERGUSON D.J.P., ANDERSON T.J., WELLS C.A. & BATTERSBY S. An ultrastructural study of mucoid carcinoma of the breast: variability of cytoplasmic features 1219–1230
FIORE-DONATI L., see Menestrina F. *et al.*
FLEMING S. & LEWI H.J.E. Collecting duct carcinoma of the kidney 1131–1141
FLEMING S. & GIBSON A.A.M. Proteinase inhibitors in the kidney and its tumours 1303–1313
FLETCHER C.D.M., CHAN J.K-C. & MCKEE P.H. Dermal nerve sheath myxoma: a study of three cases 135–145
FLETCHER C.D.M., see Humphreys S. *et al.*
FLETCHER C.D.M., POWELL G. & MCKEE P.H. Extraskeletal myxoid chondrosarcoma: a histochemical and immunohistochemical study 489–499
FLETCHER C.D.M., STIRLING R.W., SMITH M.A., PAMBAKIAN H. & MCKEE P.H. Multicentric extra-abdominal 'myofibromatosis': report of a case with ultrastructural findings 713–724
FLETCHER C.D.M. & DAVIES S.E. Benign plexiform (multinodular) schwannoma: a rare tumour unassociated with neurofibromatosis 971–980
FULCHERI E., see Lapertosa G. *et al.*

GAFFNEY E.F., DOORLY T. & DINN J.J. Aggressive oncocytic neuroendocrine tumour ('oncocytic paraganglioma') of the cauda equina 311–319
GAFFNEY E.F., see Purdy S. & Gaffney E.F.
GALERA H., see González-Cámpora R. *et al.*
GALLE J., see Kirkpatrick C.J. *et al.*
GATTER K.C., see Guettier C. *et al.*, also see Dunnill M.S. & Gatter K.C., also see Theaker J.M. *et al.*
GEERTZEMA J.G.N., see Schuurman H.-J. *et al.*
GERDES J., see Pileri S. *et al.*
GIANNOTTI B., see Romagnoli P. *et al.*
GIBSON A.A.M., see Fleming S. & Gibson A.A.M.
GLEDHILL A., HALL P.A., CRUSE J.P. & POLLOCK D.J. Enteroendocrine cell hyperplasia, carcinoid tumours and adenocarcinoma in long-standing ulcerative colitis 501–508
GOBBI M., see Pileri S. *et al.*
GOELLNER J.R., see Peters M.S. & Goellner J.R.
GOEPEL J.R., see Cotton D.W.K. *et al.*
GOING J.J., LUMSDEN A.B. & ANDERSON T.J. A classical osteogenic sarcoma of the breast: histology, immunohistochemistry and ultrastructure 631–641
GOLOMB H.M., see Falini B. *et al.*
GONZALES M.F., see Howat A.J. *et al.*
GONZÁLEZ-CÁMPORA R., MONTERO C., MARTIN-LACAVE I. & GALERA H. Demonstration of vascular endothelium in thyroid carcinomas using *Ulex europaeus* I agglutinin 261–266
GOUGH G., see Gusterson B.A. *et al.*
GRADWELL E., see Nash J.R.G. *et al.*
GRANT J.W., KAESCH D. & JONES D.B. Spinal cord compression as the first presentation of lymphoma–a review of 15 cases 1191–1202
GRAY C., see Reid M.B. *et al.*
GRIFFITHS D.W.R., see Stephenson T.J. *et al.*
GRIGNANI F., see Falini B. *et al.*
GRITTI F.M., see Pileri S. *et al.*
GUALANDI G., see Pileri S. *et al.*
GUETTIER C., GATTER K.C., HERYET A. & MASON D.Y. Dendritic reticulum cells in reactive lymph nodes and tonsils: an immunohistological study 15–24
GUO R-Z., see Liang G-Z. *et al.*
GUSTERSON B.A., CLINTON S. & GOUGH G. Studies of early invasive and intraepithelial squamous cell carcinomas using an antibody to type IV collagen 161–169

HAGEN E.C., VENNEGOOR C., SCHLINGEMANN R.O., VAN DER VELDE E.A. & RUITER D.J. Correlation of histopathological characteristics with staining patterns in human melanoma assessed by (monoclonal) antibodies reactive on paraffin sections 689–700
HALL P.A., see Gledhill A. *et al.*
HALL P.A., D'ARDENNE A.J., BUTLER M.G., STEARN P.M., SUBBUSWAMY S.G., BLACKSHAW A.J. & LEVISON D.A. Cytokeratin and laminin immunostaining in the diagnosis of cutaneous neuro-endocrine (Merkel cell) tumours 1179–1190
HAMID Q.A., BISHOP A.E., SIKRI K.L., VARNDELL I.M., BLOOM S.R. & POLAK J.M. Immunocytochemical characterization of 10 pancreatic tumours, associated with the glucagonoma syndrome, using antibodies to separate regions of the proglucagon molecule and other neuroendocrine markers 119–133
HARRIS M. & LESSELLS A.M. The ultrastructure of medullary, atypical medullary and

non-medullary carcinomas of the breast 405–414

HARRISON D.J. & MACDONALD M.K. The origin of cells in the glomerular crescent investigated by the use of monoclonal antibodies 945–952

HARRISON D.E., see Millard P.R. *et al.*

HASLETON P.S., see Heald J. *et al.*

HASLETON P.S., IRONSIDE J.W., WHITTAKER J.S., KELLY W., WARD C. & THOMPSON G.S. Pulmonary veno-occlusive disease. A report of four cases 933–944

HAVENITH M.G., see Visser R. *et al.*

HEALD J., MOUSSALLI H. & HASLETON P.S. Diffuse leiomyomatosis of the oesophagus 755–759

HEARD B.E. Benign sclerosing 'haemangioma' of the lung 541–542

HEATH D., see Smith P. *et al.*

HEATON J.M. & MACLENNAN K.A. Vasitis nodosa—a site of arrest of malignant germ cells 981–989

HEINHUIS R.J., see Ooms E.C.M. *et al.*

HENRY K., see Leader M. *et al.*

HERMAN M.M., see Vinores S.A. *et al.*

HERYET A., see Guettier C. *et al.*

HERZBERG F.P., see Waxman M. *et al.*

HEYDERMAN E., see Wilson N.W. *et al.*

HJORTH L., THOMSEN L.B. & NIELSEN V.T. Adenolipoma of the thyroid gland 91–96

HOGG J., see Magee F. *et al.*

HOWAT A.J., GONZALES M.F., WATERS K.D. & CAMPBELL P.E. Primitive neuroectodermal tumour of the central nervous system associated with malignant rhabdoid tumour of the kidney: report of a case 643–650

HUMPHREYS S., PAMBAKIAN H., MCKEE P.H. & FLETCHER C.D.M. Soft tissue chondroma—a study of 15 tumours 147–159

HURST G., see Smith P. *et al.*

INGRAM L., see Raafat F. *et al.*

INOUE A., see Aozasa K. *et al.*

IRONSIDE J.W., see Hasleton P.S. *et al.*

ISAACSON P.G., see Addis B.J. & Isaacson P.G., also see Norton A.J. & Isaacson P.G.

ISHAK K.G., see Rolfes D.B. & Ishak K.G.

JACK A.S. & LEE F.D. Morphological and immunohistochemical characteristics of T-cell malignant lymphomas in the west of Scotland 223–234

JASS J.R., ATKIN W.S., CUZICK J., BUSSEY H.J.R., MORSON B.C., NORTHOVER J.M.A. & TODD I.P. The grading of rectal cancer: historical perspectives and a multivariate analysis of 447 cases 437–459

JEFFREY I.J.M., LUCAS D.R., MCEWAN C. & LEE W.R. Malignant melanoma of the conjunctiva 363–378

JOHANNSEN L., see Schroder H.D. & Johannsen L.

JONES D.B., see Grant J.W. *et al.*

KAESCH D., see Grant J.W. *et al.*

KAHN L.B., see Mir R. *et al.*

KAPANCI Y., see Korbi S. *et al.*

KARR G., see Magee F. *et al.*

KARTTUNEN T., see Apaja-Sarkkinen M. *et al.*

KARTTUNEN T., ALAVAIKKO M., APAJA-SARKKINEN M. & AUTIO-HARMAINEN H. Distribution of basement membrane laminin and type IV collagen in human reactive lymph nodes 841–850

KASTHURI N., see Kodet R. *et al.*

KATAGIRI S., see Aozasa K. *et al.*

KATAYAMA S., see Aozasa K. *et al.*

KELLY W., see Hasleton P.S. *et al.*

KERNER H. & LICHTIG C. Lobular cancerization: incidence and differential diagnosis with lobular carcinoma *in situ* of breast 621–629

KIRKPATRICK C.J., CURRY A., GALLE J. & MELZNER I. Systemic kappa light chain deposition and amyloidosis in multiple myeloma: novel morphological observations 1065–1076

KNUDSEN L.M. & PALLESEN G. The preservation and loss of various non-haematopoietic antigens in human post-mortem tissues as demonstrated by monoclonal antibody immunohistological staining 1007–1014

KODET R., KASTHURI N., MARSDEN H.B., COAD N.A.G. & RAAFAT F. Gangliorhabdomyosarcoma: a histopathological and immunohistochemical study of three cases 181–193

KOK L.P., see Boon M.E. *et al.*

KONDI-PAPHITIS A. & ADDIS B.J. Secretory component in pulmonary adenocarcinoma and mesothelioma 1279–1287

KORBI S., TOCCANIER M-F., LEYVRAZ G., STADLER J. & KAPANCI Y. Use of silver staining (Dieterlé's stain) in the diagnosis of cat scratch disease 1015–1021

LAPERTOSA G., BARACCHINI P., FULCHERI E. & TANZI R. O-acetylated sialic acid variants in intestinal glandular metaplasia of the urinary tract 707–712

LAUDER I. & CAMPBELL A.C. The lymphadenopathy of human immunodeficiency virus infection 1023–1207

LEADER M., COLLINS M., PATEL J. & HENRY K. Staining for factor VIII related antigen and *Ulex europaeus* agglutinin I (UEA-I) in 230 tumours. An assessment of their specificity for angiosarcoma and Kaposi's sarcoma 1153–1162

LEADER M., PATEL J., MAKIN C. & HENRY K. An analysis of the sensitivity and specificity of the cytokeratin marker CAM 5.2 for epithelial tumours. Results of a study of 203 sarcomas, 50 carcinomas and 28 malignant melanomas 1315–1324

LECKIE B., see Lindop G.B.M. *et al.*

LEE F.D., see Jack A.S. & Lee F.D.

LEE W.R., see Jeffrey I.J.M. *et al.*

LESSELLS A.M., see Harris M. & Lessells A.M.

LESTANI M., see Menestrina F. *et al.*

LEVER A.F., see Lindop G.B.M. & Lever A.F.

LEVISON D.A., see Hall P.A. *et al.*

LEWI H.J.E., see Fleming S. & Lewi H.J.E.

LEYVRAZ G., see Korbi S. *et al.*

LI W-C., see Liang G-Z. *et al.*

LIANG G-Z., ZHUANG H-G., LI W-C. & GUO R-Z. T-cell lymphoma: a morphological, histochemical and immunological study of nine Chinese cases 1035–1046

LICHTIG C., see Kerner H. & Lichtig C.

LINDOP G.B.M. & LEVER A.F. Anatomy of the renin-angiotensin system in the normal and pathological kidney 335–362

LINDOP G.B.M., LECKIE B. & WINEARLS C.G. Malignant hypertension due to a renin-secreting renal cell carcinoma—an ultrastructural and immunocytochemical study 1077–1088

LUCAS D.R., see Jeffrey I.J.M. *et al.*

LUKES R.J., see Maurer R. *et al.*

LUMSDEN A.B., see Going J.J. *et al.*

MACDONALD M.K., see Harrison D.J. & MacDonald M.K.

MACLENNAN K.A., see Heaton J.M. & MacLennan K.A.

MAGEE F., WRIGHT J.L., CHAN N., CURRIE W., KARR G., HOGG J. & THURLBECK W.M. Two unusual pathological reactions to nitofurantoin: case reports 701–706

MAHY N.J., see Maurer R. *et al.*

MAKIN C.A., see Wilson N.W. *et al.*

MAKIN C., see Leader M. *et al.*

MALCOLM A.J., see Smith N.M. & Malcolm A.J.

MANN J.R., see Raafat F. *et al.*

MARSDEN H.B., see Kodet R. *et al.*

MARSHALL R.J. & SWENY P. Haemolytic-uraemic syndrome in recipients of bone marrow transplants not treated with cyclosporin A 953–962

MARTELLI M.F., see Falini B. *et al.*

MARTIN-LACAVE I., see González-Cámpora R. *et al.*

MARTUZZI M., see Pileri S. *et al.*

MASON D.Y., see Guettier C. *et al.*, also see Falini B. *et al.*

MASSEYEFF R., see Beranek J.T. *et al.*

MATSUZUKA F., see Aozasa K. *et al.*

MAURER R., SCHMID U., DAVIES J.D., MAHY N.J., STANSFELD A.G. & LUKES R.J. Lymph-node infarction and malignant lymphoma: a multicentre survey of European, English and American cases 571–588

MCDONALD G.S.A. & COURTNEY M.G. Operation-associated neutrophils in a percutaneous liver biopsy: effect of prior transjugular procedure 217–222

MCEWAN C., see Jeffrey I.J.M. *et al.*

MCKEE P.H., see Fletcher C.D.M. *et al.*, also see Humphreys S. *et al.*

MEIJER C.J.L.M., see van der Valk P. *et al.*

MELZNER I., see Kirkpatrick C.J. *et al.*

MENESTRINA F., CHILOSI M., BONETTI F., LESTANI M., SCARPA A., NOVELLI P., DOGLIONI C., TODESCHINI G., AMBROSETTI A. & FIORE-DONATI L. Mediastinal large-cell lymphoma of B-type, with sclerosis: Histopathological and immunohistochemical study of eight cases 589–600

MILLAN D., see Burnett R.A. & Millan D.

MILLARD P.R., YOUNG E., HARRISON D.E. & WOJNAROWSKA F. Reactive perforating collagenosis: light, ultrastructural and immunohistological studies 1047–1056

MILLER N., BÉDARD Y.C., COOTER N.B. & SHAUL D.L. Histological changes in the genital tract in transsexual women following androgen therapy 661–669

MILLS P.M., see Stephenson T.J. *et al.*, also see Cotton D.W.K. *et al.*

MINELLI O., see Falini B. *et al.*
MIR R., KAHN L.B. & SELZER G. Immunohistochemistry of primary gastrointestinal lymphomas: a study of 76 cases 391–403
MIROLO M., see Baroni C.D. *et al.*
MONTERO C., see González-Cámpora R. *et al.*
MORETTI S., see Romagnoli P. *et al.*
MORI A., see Falini B. *et al.*
MORSON B.C., see Jass J.R. *et al.*
MOUSSALLI H., see Heald J. *et al.*
MUNRO J.M., VAN DER WALT J.D. & COX E.L. A comparison of cytoplasmic immunoglobolins in retroperitoneal fibrosis and abdominal aortic aneurysms 1163–1170

NAMBU S., see Spencer H. & Nambu S.
NASH J.R.G., GRADWELL E. & DAY D.W. Large-cell intestinal lymphoma occurring in coeliac disease: morphological and immunohistochemical features 195–205
NASH J.R.G. An immunohistochemical study of non-Hodgkin's lymphomas: correlation of morphological appearances and immunophenotype in 148 cases 793–813
NG C.S., see Chan J.K.C. *et al.*
NICOLL S., see Wells C.A. *et al.*
NIELSEN V.T., see Hjorth L. *et al.*
NORTHOVER J.M.A., see Jass J.R. *et al.*
NORTON A.J. & ISAACSON P.G. An immunocytochemical study of T-cell lymphomas using monoclonal and polyclonal antibodies effective in routinely fixed wax embedded tissues 1243–1260
NOVELLI P., see Menestrina F. *et al.*

O'CONNOR M., see Dervan P.A. *et al.*
O'LEARY A.D. & SWEENEY E.C. Lymphoglandular complexes of the colon: structure and distribution 267–283
OOMS E.C.M., BLOMJOUS C.E.M., ZWARTENDIJK J., VELDHUIZEN R.W., BLOK A.P.R., HEINHUIS R.J. & BOON M.E. Connective tissue stroma in bladder papillary transitional cell carcinoma, carcinoma *in situ* and benign cystitis 613–619
OSORIO-HERRERA E., see El-Labban N.G. & Osorio-Herrera E.
OUWERKERK-NOORDAM E., see Boon M.E. *et al.*

PALLESEN G., see Falini B. *et al.*, also see Knudsen L.M. & Pallesen G.
PAMBAKIAN H., see Humphreys S. *et al.*, also see Fletcher C.D.M. *et al.*, also see Wilson N.W. *et al.*
PATEL J., see Leader M. *et al.*
PETERS M.S. & GOELLNER J.R. Spitz naevi and malignant melanomas of childhood and adolescence 1289–1302
PEZZELLA F., see Baroni C.D. *et al.*
PILERI S., RIVANO M.T., RAISE E., GUALANDI G., GOBBI M., MARTUZZI M., GRITTI F.M., GERDES J. & STEIN H. The value of lymph node biopsy in patients with the acquired immunodeficiency syndrome (AIDS) and the AIDS-related complex (ARC): a morphological and immunohistochemical study of 90 cases 1107–1129
POLAK J.M., see Hamid Q.A. *et al.*
POLLOCK D.J., see Gledhill A. *et al.*
POSNETT D.N., see Falini B. *et al.*
POWELL G., see Fletcher C.D.M. *et al.*
PULFORD K., see Falini B. *et al.*
PURDY S. & GAFFNEY E.F. Ultrastructural and immunocytochemical definition of component neoplasms in an unusual gastro-oesophageal collision tumour 525–534

RAAFAT F., see Kodet R. *et al.*
RAAFAT F., SALMAN W.D., ROBERTS K., INGRAM L., REES R. & MANN J.R. Carney's triad: gastric leiomyosarcoma, pulmonary chondroma and extra-adrenal paraganglioma in young females 1325–1333
RAISE E., see Pileri S. *et al.*
REES R., see Raafat F. *et al.*
REID M.B., GRAY C., FEAR J.D. & BIRD C.C. Immunohistological demonstration of factors XIIIa and XIIIs in reactive and neoplastic fibroblastic and fibro-histiocytic lesions 1171–1178
RICHARDSON T.C., see Wilson N.W. *et al.*
RIVANO M.T., see Pileri S. *et al.*
ROBERTS K., see Raafat F. *et al.*
ROLFES D.B. & ISHAK K.G. Liver disease in pregnancy 555–570
ROMAGNOLI P., MORETTI S., FATTOROSSI A. & GIANNOTTI B. Dendritic cells in the dermal infiltrate of Sézary syndrome 25–36
ROONEY N., see Cotton D.W.K. *et al.*
ROSENBLATT P., see Waxman M. *et al.*
ROSSI G.B., see Baroni C.D. *et al.*
RUBINSTEIN L.J., see Vinores S.A. *et al.*
RUCO L.P., see Baroni C.D. *et al.*
RUITER D.J., see Hagen E.C. *et al.*

SAFNECK J.R. & DESA D.J. Structures mimicking sex cord-stromal tumours and gonadoblas-

tomas in the ovaries of normal infants and children 909–920
SALISBURY J.R., DARBY A.J. & WHIMSTER W.F. Papillary adenocarcinoma of lung with psammoma bodies: report of a case derived from type II pneumocytes 877–884
SALMAN W.D., see Raafat F. *et al.*
SCARPA A., see Menestrina F. *et al.*
SCHEUER P.J. Changing views on chronic hepatitis 1–4
SCHLINGEMANN R.O., see Hagen E.C. *et al.*
SCHMID U., see Maurer R. *et al.*
SCHRÖDER S. & BÖCKER W. Clear-cell carcinomas of thyroid gland: a clinicopathological study of 13 cases 75–89
SCHRODER H.D. & JOHANNSEN L. Demonstration of S-100 protein in sustentacular cells of phaeochromocytomas and paragangliomas 1023–1033
SCHUURMAN H.-J., VERDONCK L.F., GEERTZEMA J.G.N., VAN DER LINDEN J.A. & DE GAST G.C. Monotypic immunoglobulin E plasma cells in an allogeneic bone marrow transplant recipient 963–969
SCHWARTING R., see Falini B. *et al.*
SELZER G., see Mir R. *et al.*
SHARKEY F.E., see Barry J.D. & Sharkey F.E.
SHAUL D.L., see Miller N. *et al.*
SHUANGSHOTI S. Primitive neuroectodermal (neuroepithelial) tumour of soft tissue of the neck in a child: demonstration of neuronal and neuroglial differentiation 651–658
SIEGAL A. & SWARTZ A. Malignant carcinoid of oesophagus 761–765
SIKRI K.L., see Hamid Q.A. *et al.*
SLATER D.N., see Cotton D.W.K. *et al.*
SMITH M.A., see Fletcher C.D.M. *et al.*
SMITH P., HURST G., HEATH D. & DREWE R. The carotid bodies in a case of ventricular septal defect 831–840
SMITH N.M. & MALCOLM A.J. Simultaneous AL-type amyloid and light chain deposit disease in a liver biopsy: a case report 1057–1064
SPENCER H. & NAMBU S. Sclerosing haemangiomas of the lung 477–487
STALDER J., see Korbi S. *et al.*
STANSFIELD A.G., see Maurer R. *et al.*
STEARN P.M., see Hall P.A. *et al.*
STEIN H., see Falini B. *et al.*, also see Pileri S. *et al.*
STEPHENSON T.J., GRIFFITHS D.W.R. & MILLS P.M. Comparison of *Ulex europaeus* lectin binding and factor VIII-related antigen as markers of vascular endothelium in follicular carcinoma of the thyroid 251–260
STIRLING R.W., see Fletcher C.D.M. *et al.*
STOKOE M.R., see Wilson N.W. *et al.*
SUBBUSWAMY S.G., see Hall P.A. *et al.*
SWARTZ A., see Siegal A. & Swartz A.
SWEENEY E.C., see Bonar S.F. & Sweeney E.C., also see O'Leary A.D. & Sweeney E.C.
SWENY P., see Marshall R.J. & Sweny P.

TANZI R., see Lapertosa G. *et al.*
TARDANICO R., see Callea F *et al.*
TE VELDE J., see van Krieken J.H.J.M. & te Velde J.
THEAKER J.M., GATTER K.C., ESIRI M.M. & EASTERBROOK P. Neoplastic angioendotheliosis—further evidence supporting a lymphoid origin 1261–1270
THOMAS J., see van den Oord J.J. *et al.*
THOMPSON J.E. & VAN DER WALT J.D. Nodular fibrous proliferation (fibrous pseudotumour) of the tunica vaginalis testis. A light, electron microscopic and immunocytochemical study of a case and review of the literature 741–748
THOMPSON G.S., see Hasleton P.S. *et al.*
THOMSEN L.B., see Hjorth L. *et al.*
THURLBECK W.M., see Magee F. *et al.*
TOBIN B., see Dervan P.A. *et al.*
TOCCANIER M-F., see Korbi S. *et al.*
TODD I.P., see Jass J.R. *et al.*
TODESCHINI G., see Menestrina F. *et al.*
TOGNI R., see Callea F. *et al.*
TUDER R.M. Malignant disease of the pleura: a histopathological study with special emphasis on diagnostic criteria and differentiation from reactive mesothelium 851–865
TUNG S., see Chan J.K.C. *et al.*
TUNGEKAR M.F. Gastric signet-ring cell lymphoma with alpha heavy chains 725–733

VAN DEN OORD J.J., DE WOLF-PEETERS C., DE VOS R., THOMAS J. & DESMET V.J. Sarcoma arising from interdigitating reticulum cells; report of a case, studied with light and electron microscopy, and enzyme- and immunohistochemistry 509–523
VAN DER BEEK J.M.H., see Visser R. *et al.*

VAN DER LINDEN J.A., see Schuurman H.-J. *et al.*

VAN DER VALK P., WILLEMZE R. & MEIJER C.J.L.M. Peripheral T-cell lymphomas: a clinicopathological and immunological study of 10 cases 235–249

VAN DER VELDE E.A., see Hagen E.C. *et al.*

VAN DER WALT J.D., see Thompson J.E. & van der Walt J.D., also see Munro J.M. *et al.*

VAN DIJK J.G., see Calame J.J. *et al.*

VAN KRIEKEN J.H.J.M. & TE VELDE J. Immunohistology of the human spleen: an inventory of the localization of lymphocyte subpopulations 285–294

VAN'T WOUT J.W., see Calame J.J. *et al.*

VANSTAPEL M.J., see Callea F. *et al.*

VARNDELL I.M., see Hamid Q.A. *et al.*

VASSALO J., see Altemani A.M. *et al.*

VAURY P., see Balaton A.J. *et al.*

VELDHUIZEN R.W., see Ooms E.C.M. *et al.*

VENNEGOOR C., see Hagen E.C. *et al.*

VERDONCK L.F., see Schuurman H.-J. *et al.*

VESTFRID M.A. Papillary carcinoma of the thyroid gland with lipomatous stroma: report of a peculiar histological type of thyroid tumour 97–100

VINORES S.A., HERMAN M.M. & RUBINSTEIN L.J. Electron-immunocytochemical localization of neuron-specific enolase in cytoplasm and on membranes of primary and metastatic cerebral tumours and on glial filaments of glioma cells 891–908

VISSER R., VAN DER BEEK J.M.H., HAVENITH M.G., CLEUTJENS J.P.M. & BOSMAN F.T. Immunocytochemical detection of basement membrane antigens in the histopathological evaluation of laryngeal dysplasia and neoplasia 171–180

VOXES E.E., see Falini B. *et al.*

VULETIN J.C., see Waxman M. *et al.*

VUONG P.N., see Balaton A.J. *et al.*

WARD C., see Hasleton P.S. *et al.*

WATERS K.D., see Howat A.J. *et al.*

WAXMAN M., VULETIN J.C., ROSENBLATT P. & HERZBERG F.P. Melanocyte colonization of adenocarcinoma arising in an ovarian dermoid 207–215

WELLS C.A., NICOLL S. & FERGUSON D.J.P. Adenoid cystic carcinoma of the breast: a case with axillary lymph node metastasis 415–424

WELLS M. & BROWN L.J.R. Glandular lesions of the uterine cervix: the present state of our knowledge 777–792

WELLS C.A., see Ferguson D.J.P. *et al.*

WHIMSTER W.F., see Salisbury J.R. *et al.*

WHITTAKER J.S., see Hasleton P.S. *et al.*

WILLEBRAND D., BOSMAN F.T. & DE GOEIJ A.F.P.M. Patterns of basement membrane deposition in benign and malignant breast tumours 1231–1241

WILLEMZE R., see van der Valk P. *et al.*

WILSON N.W., PAMBAKIAN H., RICHARDSON T.C., STOKOE M.R., MAKIN C.A. & HEYDERMAN E. Epithelial markers in thyroid carcinoma: an immunoperoxidase study 815–829

WINEARLS C.G., see Lindop G.B.M. *et al.*

WOJNAROWSKA F., see Millard P.R. *et al.*

WRIGHT D. T-cell lymphomas 321–326

WRIGHT J.L., see Magee F. *et al.*

WYLLIE A.H. What is apotosis? 995–998

YONEZAWA T., see Aozasa K. *et al.*

YOUNG E., see Millard P.R. *et al.*

ZHUANG H-G., see Liang G-Z. *et al.*

ZWARTENDIJK J., see Ooms E.C.M. *et al.*

Histopathology 1986, **10**, 1344–1347

Subject index to Volume 10

Abbreviations 1103c*
Acquired immunodeficiency syndrome 1107
Adenocarcinoma 37, 207, 501
  cervical 777
  papillary 877
  pulmonary 1279
Adenolipoma 91
Adenoma 111
AIDS-related complex 1107
Alpha chain disease 725
AL-type amyloid 1057
Alveolitis hypersensitivity 701
Amyloid 1065
Androgen therapy 661
Aneurysm abdominal aortic 1163
Angioendotheliosis neoplastic 1261
Angiosarcoma 1153
Antibodies monoclonal 509, 671, 689, 793, 945, 1007, 1107, 1243
  polyclonal 1243
Antigens non-leucocyte 1007
Apoptosis 995
Apoptotic body 921
Apudoma 761
Asbestos 101
Autoimmune haemolytic anaemia 285
Autopsy 1007

Basement membrane deposition 1231
Biopsy
  lymph node 1107
  percutaneous 217
  transjugular 217
Bladder 613
Bone marrow transplantation 953, 963
Bowel disease inflammatory 37
Brain 891
Breast 405, 415, 621, 631, 773*c*, 1001*c*, 1219, 1231

Cancer
  bladder 613
  cervical 1089
  gastric 53, 1271
  lung 461
  rectal 437
Capillaries hyperplastic 543
Carcinoid malignant 761
Carcinoma
  adenoid cystic 415, 425
  atypical medullary 405
  clear cell 75
  collecting duct 1131
  colorectal 111
  ductal 621
  epidermoid 161
  follicular 251
  in situ 613
  lobular *in situ* 621
  medullary 405
  mucoid 1219
  non-medullary 405
  papillary 97
  renal cell 1077
  small cell 525
  squamous cell 161, 921, 1143
  thyroid 75, 261, 815
  verrucous 1101*c*
Carney's triad 1325
Carotid body 831
Cells
  dendritic 25
  ductal epithelial 425
  endocrine 53, 501
  epithelial 921
  fat 97
  giant 1065
  immature myoepithelial 425
  interdigitating reticulum 509
  malignant germ 981
  mesothelial 851, 867
  micronucleated 921
  monotypic IgE plasma 963
  sustentacular 1023
Cervix 777
Chondroma soft tissue 147

*c denotes reference to correspondence.

Chondrosarcoma 147
myxoid 489
Coeliac disease 195, 933, 1213*c*
Colitis ulcerative 501
Collagen type IV 161, 171, 295, 841, 1231
Collagenosis perforating 1047
Colon 267, 501
Congenital glomerular crescents 991
Conjunctiva 363
Crescentic glomerulonephritis 945
Crohn's disease 37
Cyclosporin A 953
Cystitis denuding 613
Cytokeratin 1179
marker 1315

Dendritic reticulum cells 15
Diagnosis differential 621
Dieterlé's stain 1015
Diffusion microwave-stimulated 303
Disease
alpha chain 725
coeliac 195, 933, 1213*c*
Hodgkin's 285
liver 555
pulmonary veno-occlusive 933
Dysplasia 37

Eccrine sweat gland 1093
Endothelium vascular 251, 261
Eosinophilic meningo-encephalitis 535
Epithelial markers 815
Epithelium misplaced 37
Extraskeletal myxoid chondrosarcoma 489

Factor VIII 1171
related antigen 251, 1153
Feto–fetal transfusion syndrome 991
Fibrinogen storage 65
Fibroadenoma 1001*c*
Fibroblasts 1171
Fibroma 741
Fibromatosis 713
Fibrosis 543, 741
retroperitoneal 1163

Gangliorhabdomyosarcoma 181
Gastric cancer 1271
Gastro-oesophageal junction 525
Genital tract 661
Glands endocervical 777
Glial fibrillary acidic protein 651
Glomerulonephritis crescentic 945
Glucagonoma syndrome 119
Gonadoblastoma 909
Grading 437
Granulomas renal cholesterol 1001*c*
Granulomatous lymphadenitis 1015

'Haemangioma' benign sclerosing 541
Haemangioma sclerosing 477
Haemolytic-uraemic syndrome 953
Hairy cell leukaemia 671
Hashimoto's thyroiditis 735
Hepatitis
chronic active 1, 217, 933
viral 1
Hepatocyte ground-glass 65
Heterotopic decidua 1089
Histiocyte 391
Histogenesis 631, 867
Hodgkin's disease 285, 535
HTLV III 5
Human immunodeficiency virus infection 1203
Hyperemesis gravidarum 555
Hyperplasia 777
enteroendocrine cell 501
Hypersensitivity alveolitis 701
Hypertension malignant 1077

Idiopathic thrombocytopenic purpura 285
Immunocytochemistry 119
Immunohistochemistry 223
Immunohistology 5, 15
Immunoperoxidase 171
Infarction 571

Kaposi's sarcoma 1153
Kidney 335, 643, 1131, 1303

Laminin 171, 295, 841, 1179
Large intestine 111
Larynx 171
Leiomyomatosis diffuse 755
Leucocytes neutrophil polymorphonuclear 217
Leukaemia hairy cell 671
Light chains 1057, 1065
Liver 217, 555, 1057, 1211*c*
Lobular cancerization 621
Lung 461, 477, 541, 877, 1279
Lymphadenitis granulomatous 1015
Lymphadenopathy 1203
systematic 5
Lymph node 5, 571, 841, 1089
Lymphoglandular complex 267
Lymphoid tissue reactive 15

Lymphoma 1191
B-cell 589, 1261
centroblastic 601
follicular 735
gastric signet-ring cell 725
gastrointestinal 391
large-cell 379, 589
large-cell intestinal 195
malignant 571
mediastinal 589
multilobated B-cell 601
non-Hodgkin's 235, 793
small intestinal 1213*c*
T-cell 235, 321, 1035, 1243
T-cell malignant 223

Malignant melanoma 363, 1289
Mediastinum anterior 379
Melanocyte colonization 207, 1101*c*
Melanoma 689
malignant 363, 1289
Membrane basement 171
Mesoderm 101
Mesothelioma
pulmonary 1279
solitary fibrous 867
Mesothelium reactive 851
Metaplasia
apocrine 1211*c*
glandular 707
squamous 1001*c*
sulphomucin positive intestinal 1271
Metastasis 981
lymph node 415
Microwave-stimulated diffusion 303
Mitosis abnormal 921
Monoclonal antibodies 509, 671, 689, 793, 945, 1007, 1107, 1243
Monotypic IgE plasma cell 963
Monozygotic twin 991
Morphometry 1143
Multipotentiality 101
Myeloma multiple 1065
Myenteric plexus 535
Myofibroblast 713
'Myofibromatosis' multicentric extra-abdominal 713
Myometrium 749
Myxoma 135

Necrosis 571
piecemeal 1
Neoplasm 741
soft tissue 1171
thyroid 815
Neoplastic angioendotheliosis 1261
Neurilemmoma 971
Neuroendocrine markers 119
Neurofibromatosis von Recklinghausen's 971
Neuron-specific enolase 891
Nitrofurantoin 701
Non-Hodgkin's lymphoma 235, 793
Non-leucocyte antigens 1007

Oesophagus 755, 761
Ovary 207, 909

p24 protein 5
Paraffin sections 689
Paraganglioma 1023
cauda equina 311
Perforating collagenosis 1047
Periorchitis 741
Phaeochromocytoma 1023
Plasmacytoma 735
Pleura 851
Plexiform tumorlet 749
Pneumocytes type II 877
Pneumonia giant cell interstitial 701
Polyclonal antibodies 1243
Pregnancy 555, 1089
acute fatty liver of 555
intrahepatic cholestasis of 555
toxaemia of 555
Pro-glucagon 119
Prognosis 53, 437
Proteinase inhibitors 1303
Psammoma bodies 877
Pulmonary
adenocarcinoma 1279
mesothelioma 1279
veno-occlusive disease 933

Rectum 437
Renal cholesterol granulomas 1001*c*
Renin 335, 1077
Reticulin 295
Retroperitoneal fibrosis 1163
Rheumatoid nodules 1211*c*
Ring fibres 295
Rothia dentocariosa 1015

S-100 protein 1023
Sarcoma 509
  Kaposi's 1153
  osteogenic 631
Schwannoma benign plexiform 971
Sections paraffin 689
Seminoma 981
Sex cord-stromal tumour 909
Sézary syndrome 25
Soft tissue tumours 771*c*
Spinal cord 1191
Spiradenoma 1093
Spitz naevi 1289
Spleen 285, 295
Staging 437
Stomach 725
Syndrome feto–fetal transfusion 991

Turner's 831
Testis 741
Thyreolipoma 91
Thyroid 91, 97, 251, 735, 815
Thyroiditis Hashimoto's 735
Tissue processing 303
Trachea 425
Transplantation bone marrow 953, 963
Transsexual women 661
Tumorlet plexiform 749
Tumour
  adnexal 1093
  brain 891
  breast 773*c*
  breast benign and malignant 1231
  cerebral primitive neuroectodermal 643
  collision 525
  cutaneous neuroendocrine 1179
  epithelial 1315
  grading 1143
  malignant rhabdoid of kidney 643
  neural 135
  neuroendocrine 311
  pancreatic 119
  phyllodes of the breast 1211*c*
  primitive neuroectodermal 651
  primitive neuroepithelial 651
  sex cord-stromal 909
  soft tissue 651, 771*c*
Tunica vaginalis 741
Turner's syndrome 831
Twin monozygotic 991

Ulex europaeus agglutinin I 1153
Urinary tract 707
Uterine cervix 777
Uterus 749

Vasitis nodosa 981
Ventricular septal defect 831
von Recklingkausen's neurofibromatosis 971